



SBPL

uPVC Profile

Committed for Togetherness



uPVC Profile For Doors & Windows System






Company Introduction


SBPL uPVC Profile manufactured by an Indo German joint venture company with the largest uPVC windows profile extrusion facility in India. Offering you versatility in various type of applications. High on safety and low on maintenance. SBPL uPVC Profile also caters to electronics industry and cable ducting. With SBPL uPVC Profiles you are sure to get a number of unmatched benefits.

Having established our own brand in the year 2012, we were one of the pioneers and the first companies to launch uPVC windows and doors in India. Since the inception of the company way back in 2012, we have invested a very large amount of time and money in vertical integration of our products. Since the year 2012, we have been very successful in creating the awareness and educating the clientele on PAN India basis, due to which there is a tremendous growth of uPVC windows and doors made by SBPL uPVC Profiles all over India.





Mr. Sarvesh Kumar


Managing Director



Our Mission

At SBPL, our mission is to deliver top-quality uPVC profiles that embody durability, energy efficiency, and design excellence. We are committed to innovation, sustainable practices, and customer-centric solutions that enhance the way people live and build. Through continuous improvement and unwavering dedication to quality, we aim to empower architects, builders, and homeowners with products that ensure safety, comfort, and long-lasting performance.

To be a leading force in redefining modern architecture through innovative, sustainable, and superior-quality uPVC solutions. At SBPL, we envision a future where every home and workspace is enhanced by eco-friendly, durable, and aesthetically designed profiles that combine functionality with elegance. We strive to set new standards in the uPVC industry by continuously evolving with technology, prioritizing customer satisfaction, and fostering trust through excellence.



Our Vision





SBPL

uPVC Profile

Committed for Togetherness



Our Project

... COMPLETED PROJECT ...



ALS Project
Gorakhpur



Ishan Ashok Residency
Deoghar



KK Construction
Gorakhpur



Government Polytechnic
MAU



Mahant Digvijaya
Ayurveda College



Nirala High -Rise
Greater Noida




LIC
Jaipur



Sarovar Hotel
Chennai



Park Hotel
Goa



NCR Monarch Sec. 1



Balrampur Sugar Mill
Gonda



IGL
Gorakhpur

Our Success Over The Years

500+
Complete Projects

700+
Happy Customers

18+
Ongoing Projects

Ongoing Project

- KK Construction
- Railway Colony Ranchi
- Balrampur Sugar Mill
- Roza Gaon Sugar Mill
- Keyaan Distilleries Gorakhpur

- LPG Housing Praygraj
- DPS Azamgarh
- Palm Paradise
- RPM School Vidisha
- Nirala High-Rise Greater Noida

- Suger Mill gonda
- DPS Muzaffarpur

Our Profile used in these Projects





Certifications

Certificate of Registration

This is to Certify that
Quality Management System of

M/S SARVAJ BUILDTech PRIVATE LIMITED
398, ECOTECH EXTENSION, KASNA, GREATER NOIDA, GAUTAM BUDDHA NAGAR-201308, UTTAR PRADESH, INDIA

has been assessed and found to conform to the requirements of
ISO 9001:2015
for the following scope:

DESIGN, MANUFACTURE, SUPPLY OF SBPL MAKE UPVC PROFILES FOR DOORS AND WINDOWS.

Certificate No: **23EQM1** Issuance Date: 19/05/2023
Initial Registration Date: 19/05/2023 Date of Expiry: 18/05/2026
1st Surve. Due: 19/04/2024 2nd Surve. Due: 19/04/2025

Director

Magnitude Management Services Pvt. Ltd.
Plot No. 446, Sector-2, Noida, Greater Noida, U.P.-201308, India
E-mail: info@mmstest.com, website: www.mmstest.com

Certificate of Registration

This is to Certify that
Environmental Management System of

M/S SARVAJ BUILDTech PRIVATE LIMITED
398, ECOTECH EXTENSION, KASNA, GREATER NOIDA, GAUTAM BUDDHA NAGAR-201308, UTTAR PRADESH, INDIA

has been assessed and found to conform to the requirements of
ISO 14001:2015
for the following scope:

DESIGN, MANUFACTURE, SUPPLY OF SBPL MAKE UPVC PROFILES FOR DOORS AND WINDOWS.

Certificate No: **23EEL41** Issuance Date: 19/05/2023
Initial Registration Date: 19/05/2023 Date of Expiry: 18/05/2026
1st Surve. Due: 19/04/2024 2nd Surve. Due: 19/04/2025

Director

Magnitude Management Services Pvt. Ltd.
Plot No. 446, Sector-2, Noida, Greater Noida, U.P.-201308, India
E-mail: info@mmstest.com, website: www.mmstest.com

Certificate of Registration

This is to Certify that
Occupational Health & Safety Management System of

M/S SARVAJ BUILDTech PRIVATE LIMITED
398, ECOTECH EXTENSION, KASNA, GREATER NOIDA, GAUTAM BUDDHA NAGAR-201308, UTTAR PRADESH, INDIA

has been assessed and found to conform to the requirements of
ISO 45001:2018
for the following scope:

DESIGN, MANUFACTURE, SUPPLY OF SBPL MAKE UPVC PROFILES FOR DOORS AND WINDOWS.

Certificate No: **23EOL32** Issuance Date: 19/05/2023
Initial Registration Date: 19/05/2023 Date of Expiry: 18/05/2026
1st Surve. Due: 19/04/2024 2nd Surve. Due: 19/04/2025

Director

Magnitude Management Services Pvt. Ltd.
Plot No. 446, Sector-2, Noida, Greater Noida, U.P.-201308, India
E-mail: info@mmstest.com, website: www.mmstest.com

Certificate of Compliance

We hereby declare that the technical files of all the items in each product group complies with the requirements of
Personal Protective Equipment Directive PPE/89/66/EEC.

MANUFACTURER

COMPANY NAME: M/S SARVAJ BUILDTech PRIVATE LIMITED

ADDRESS: 398, ECOTECH EXTENSION, KASNA, GREATER NOIDA, GAUTAM BUDDHA NAGAR, UTTAR PRADESH-201308, INDIA

PRODUCTS: DESIGN, MANUFACTURE, SUPPLY OF SBPL MAKE UPVC PROFILES FOR DOORS AND WINDOWS

Certificate Number: **UQ-2698**
Validity of this certificate can be verified at www.ukglobal.co.uk

Initial registration date: 17/08/2022 Issuance date: 17/08/2023
1st surveillance on or before: 16/05/2024
2nd surveillance on or before: 16/05/2026 Valid until: 18/05/2026

Authorized Signatory

The certificate is the property of UK Global Certification, Inspection Limited and shall be returned immediately on request.
76-77 Stratton Street, Clerkenwell, London EC1M 6BQ, England, UK, 20100
Website: www.ukglobal.co.uk, registration@ukglobal.co.uk
Company No: 1181876

ATMY ANALYTICAL LABS PVT.LTD.

TEST REPORT

Report No: 2200070025 Page 1 of 6 Date: 14/06/2022

M/S SARVAJ BUILDTech PVT. LTD.
Plot No. - 398, ECOTECH (J) EXTENSION, KASNA, GREATER NOIDA, U.P. - 201308.

Sample Description: UPVC PROFILE 3 TRACK (D&F)
Sample Received Date: 07/06/2022
Sample Origin: UK
Spec. Ref: -
Test Requested: Viscosity, Softening Temperature, MODULUS OF ELASTICITY, Tensile Strength, FLEX, RESISTANCE TO IMPACT, FADING MASS, TENSILE, Heat & Elements, IMPACT, WELD STRENGTH, HEAT REVERSION, DENSITY, Charpy Impact.
Test Method: Refer to Attached Pages.
Test Result: Refer to Attached Pages.

SAMPLE PICTURE

EN, DIN & Various Govt. Approved Laboratory
ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Laboratory
A laboratory and its management have been found to conform to the requirements of the standards listed above, as per the scope of accreditation. The management system shall be subject to surveillance audits and re-assessments. The management system shall be subject to surveillance audits and re-assessments. The management system shall be subject to surveillance audits and re-assessments. The management system shall be subject to surveillance audits and re-assessments.

SHREE RAM TESTING LABORATORIES PVT.LTD.

TEST REPORT

Report No: 2200070025 Page 1 of 6 Date: 14/06/2022

M/S SARVAJ BUILDTech PVT. LTD.
Plot No. - 398, ECOTECH (J) EXTENSION, KASNA, GREATER NOIDA, U.P. - 201308.

Sample Description: UPVC PROFILE 3 TRACK (D&F)
Sample Received Date: 07/06/2022
Sample Origin: UK
Spec. Ref: -
Test Requested: Viscosity, Softening Temperature, MODULUS OF ELASTICITY, Tensile Strength, FLEX, RESISTANCE TO IMPACT, FADING MASS, TENSILE, Heat & Elements, IMPACT, WELD STRENGTH, HEAT REVERSION, DENSITY, Charpy Impact.
Test Method: Refer to Attached Pages.
Test Result: Refer to Attached Pages.

SAMPLE PICTURE

ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018 Certified Laboratory
Address: C-55/19 O-Block, Industrial Area Sector 62, Noida, U.P. 201301
Lab Address: 398, ECOTECH (J) EXTENSION, KASNA, GREATER NOIDA, U.P. 201308
Mkt. No. 992514572, 990119918, Website: shreeramtestinglab.com
E-mail: info@shreeramtestinglab.com | sales@shreeramtestinglab.com | shreeramtestinglab@yahoo.com

Sl. No.	Parameter	Unit	Test Method	Results
1	Visual Softening Temp.	°C	ISO 1502	160
2	Flexural Modulus (Flexural)	MPa	ISO 178	2184.0
3	Resistance to Impact (Charpy Pendulum, 10 J)	kJ/m²	ISO 179	10.0
4	Heat Aging (100°C for 24 hours)	% Weight Change	ISO 188	0.0
5	Heat Reversion (100°C for 24 hours)	% Weight Change	ISO 188	0.0
6	Heat Reversion (100°C for 24 hours)	% Weight Change	ISO 188	0.0
7	Charpy Impact	kJ/m²	ISO 179	10.0
8	Thermal Conductivity	W/m.K	ISO 22067	0.17
9	Water Content	%	ISO 1136	0.08
10	Charpy Impact Strength	kJ/m²	ISO 179	10.0

Note: (1) This report is valid only for the test performed on the sample. End-user's product is neither tested. (2) This report is not to be reproduced or used in any way without the prior written consent of the issuing laboratory. (3) In any advertising media without special permission in writing. (4) Samples will be analyzed after 24 hours from the date of reporting unless otherwise specified. (5) Total liability of our lab is limited to the fee amount. (6) Report refers to the sample drawn by Shree Ram Testing Laboratories Pvt. Ltd. unless mentioned otherwise.

State of the Art Infrastructure Extrusion Line at SBPL Unit





SBPL

uPVC Profile

Committed for Togetherness

Premium Range of



**uPVC Profile For
Doors & Windows
System**

Product Features



Cost Efficient



Corrosion Resistant



UV Resistant



Indoor Air Quality



Bug Repellent



Maintenance Free



Termite Resistant



Robust Design



Fire Retardant



Acoustic Insulation

Thinking is decisive teamwork creates wealth

▶ SBPL purpose

Provide customers with satisfactory products, realize corporate value and create social wealth

▶ SBPL spirit

Development, innovation, pragmatism, hard work, dedication

▶ Management philosophy

People-oriented, give full play to the enthusiasm and creativity of employees

▶ Business philosophy

Guided by market demand, customer-centric, talent-based, and development based on innovation

▶ Quality policy

Provide customers with satisfactory products and satisfactory services

▶ Corporate value

Continue to create greater wealth for the company, for employees, and for the society

Casement Series



60 Series is designed for casement Doors, Casement Windows with options of single and double glazing




The system comes with co-extruded glassing beads for better finishing and easy installation




SBPL
uPVC Profile
Committed for Togetherness




Casement Series




60 CASMENT OUTER FRAME
Code: SB-3001
WEIGHT(KG/M): 1.01
LENGTH: 5.9 M
(STD-6)




60 OUT WARD WINDOW SASH
Code: SB-3002
WEIGHT(KG/M): 1.230
LENGTH: 5.9 M
(STD-6)




60 OUT WARD DOOR SASH
Code: SB-3003
WEIGHT(KG/M): 1.69
LENGTH: 5.9 M
(STD-4)




60 MULLION CASMENT
Code: SB-3004
WEIGHT(KG/M): 1.10
LENGTH: 5.9 M
(STD-6)



FRENCH MULLION / LAP JOINT
Code: SB-3005
WEIGHT(KG/M): 1.067
LENGTH: 5.9 M
(STD-6)




60 SMALL FRAME
Code: SB-3007
WEIGHT(KG/M): 0.890
LENGTH: 5.9 M
(STD-6)




60 SINGLE GLAZING BEAD CASMENT
Code: SB-4001
WEIGHT(KG/M): 0.317
LENGTH: 5.9 M
(STD-20)


Auxiliary Series




CASEMENT 12MM GLASS BEAD
Code: SB-4002
WEIGHT(KG/M): 0.27
LENGTH: 5.9 M
(STD-20)




22MM GLAZING BEAD
Code: SB-4003
WEIGHT(KG/M): 0.209
LENGTH: 5.9 M
(STD-30)




150 DOOR PANEL
Code: SB-150MB2
WEIGHT(KG/M): 0.884
LENGTH: 5.9 M
(STD-5)




60 RIGHT ANGLE BAY CORNER ADAPTOR
Code: SB-C90
WEIGHT(KG/M): 0.71
LENGTH: 5.9 M
(STD-4)




FRAME CONNECTOR
Code: SB-F1
WEIGHT(KG/M): 0.092
LENGTH: 5.9 M
(STD-50)



SHUTTER GLAZING BEAD
Code: SB-SGB
WEIGHT(KG/M): 0.26
LENGTH: 5.9 M
(STD-20)






BLIND LOUVER
Code: SB-CLP
WEIGHT(KG/M): 0.217
LENGTH: 5.9 M
(STD-20)



30 MM D. STRIP
Code: SB-D1
WEIGHT(KG/M): 0.16
LENGTH: 5.9 M
(STD-30)

Casement Series - Coloured Profile







SBPL
uPVC Profile
Committed for Togetherness




Casement Series - Coloured Profile




60 CASMENT OUTER FRAME
Code: SB-3001
WEIGHT(KG/M): 1.01
LENGTH: 5.9 M
(STD-6)




60 OUT WARD WINDOW SASH
Code: SB-3002
WEIGHT(KG/M): 1.230
LENGTH: 5.9 M
(STD-6)




60 OUT WARD DOOR SASH
Code: SB-3003
WEIGHT(KG/M): 1.69
LENGTH: 5.9 M
(STD-4)



60 MULLION CASMENT
Code: SB-3004
WEIGHT(KG/M): 1.10
LENGTH: 5.9 M
(STD-6)




FRENCH MULLION / LAP JOINT
Code: SB-3005
WEIGHT(KG/M): 1.067
LENGTH: 5.9 M
(STD-6)




60 SINGLE GLAZING BEAD CASMENT
Code: SB-4001
WEIGHT(KG/M): 0.317
LENGTH: 5.9 M
(STD-20)


Auxiliary Series




CASEMENT 12MM GLASS BEAD
Code: SB-4002
WEIGHT(KG/M): 0.27
LENGTH: 5.9 M
(STD-20)




22MM GLAZING BEAD
Code: SB-4003
WEIGHT(KG/M): 0.209
LENGTH: 5.9 M
(STD-30)




150 DOOR PANEL
Code: SB-150MB2
WEIGHT(KG/M): 0.884
LENGTH: 5.9 M
(STD-5)




60 RIGHT ANGLE BAY CORNER ADAPTOR
Code: SB-C90
WEIGHT(KG/M): 0.71
LENGTH: 5.9 M
(STD-4)




FRAME CONNECTOR
Code: SB-F1
WEIGHT(KG/M): 0.092
LENGTH: 5.9 M
(STD-50)



SHUTTER GLAZING BEAD
Code: SB-SGB
WEIGHT(KG/M): 0.26
LENGTH: 5.9 M
(STD-20)



BLIND LOUVER
Code: SB-CLP
WEIGHT(KG/M): 0.217
LENGTH: 5.9 M
(STD-20)




30 MM D. STRIP
Code: SB-D1
WEIGHT(KG/M): 0.16
LENGTH: 5.9 M
(STD-30)

Sliding Series



When it comes to design and style UPVC sliding windows offer a wide range of options. With various colors, Glass options and size choices. You can customize the windows to suit your preferences and interior decor.




Two-panel, three-panel, and four-panel designs are available, providing flexibility in creating the perfect look for your rooms




SBPL
uPVC Profile
Committed for Togetherness




Sliding Series




2- TRACK OUTER FRAME
Code: SB-1001
WEIGHT(KG/M): 1.10
LENGTH: 5.9 M
(STD-6)




90 SLIDING FRAME 2.5 TRACK
Code: SB-1002
WEIGHT(KG/M): 1.400
LENGTH: 5.9 M
(STD-6)




112 SLIDING FRAME-3T
Code: SB-1003
WEIGHT(KG/M): 1.750
LENGTH: 5.9 M
(STD-4)




66 SLIDING WINDOW SASH
Code: SB-1004
WEIGHT(KG/M): 1.062
LENGTH: 5.9 M
(STD-8)




85 SLIDING DOOR SASH 2
Code: SB-1005
WEIGHT(KG/M): 1.22
LENGTH: 5.9 M
(STD-4)




58 SLIDING SASH D
Code: SB-1006
WEIGHT(KG/M): 0.84
LENGTH: 5.9 M
(STD-8)




52 SCREEN DOOR SASH
Code: SB-1007
WEIGHT(KG/M): 0.506
LENGTH: 5.8-6 Om
(STD-9)




SLIDING 12 MM GLASS BEAD
Code: SB-2001
WEIGHT(KG/M): 0.18
LENGTH: 5.9 M
(STD-30)




SLIDING 22 MM GLASS BEAD
Code: SB-2002
WEIGHT(KG/M): 0.150
LENGTH: 5.9 M
(STD-30)




SLIDING SINGLE GALZED BEAD
Code: SB-2003
WEIGHT(KG/M): 0.270
LENGTH: 5.9 M
(STD-20)




66 SLIDING WINDOW SASH COVER
Code: SB-2004
WEIGHT(KG/M): 0.217
LENGTH: 5.9 M
(STD-20)




92 SLIDING DOOR SASH COVER
Code: SB-2005
WEIGHT(KG/M): 0.227
LENGTH: 5.9 M
(STD-20)



IN-LINE ADEPTOR
Code: SB-2006
WEIGHT(KG/M): 0.307
LENGTH: 5.9 M
(STD-10)



42 SASH SLIDING MULLION 2
Code: SB-42SM
WEIGHT(KG/M): 0.84
LENGTH: 5.9 M
(STD-8)



MONORAIL/SLIDING FRAME
Code: SB-M1
WEIGHT(KG/M): 1.24
LENGTH: 5.9 M
(STD-6)




SBPL

uPVC Profile


Committed for Togetherness



Sliding Series - Coloured Profile




Grey



Walnut



Golden Oak




Black




SBPL
uPVC Profile
Committed for Togetherness




Sliding Series - Coloured Profile




2- TRACK OUTER FRAME
Code: SB-1001
WEIGHT(KG/M): 1.10
LENGTH: 5.9 M
(STD-6)




90 SLIDING FRAME 2.5 TRACK
Code: SB-1002
WEIGHT(KG/M): 1.400
LENGTH: 5.9 M
(STD-6)




112 SLIDING FRAME-3T
Code: SB-1003
WEIGHT(KG/M): 1.750
LENGTH: 5.9 M
(STD-4)




66 SLIDING WINDOW SASH
Code: SB-1004
WEIGHT(KG/M): 1.062
LENGTH: 5.9 M
(STD-8)




52 SCREEN DOOR SASH
Code: SB-1007
WEIGHT(KG/M): 0.506
LENGTH: 5.8-6 Om
(STD-9)




85 SLIDING DOOR SASH 2
Code: SB-1005
WEIGHT(KG/M): 1.22
LENGTH: 5.9 M
(STD-4)




SLIDING 12 MM GLASS BEAD
Code: SB-2001
WEIGHT(KG/M): 0.18
LENGTH: 5.9 M
(STD-30)




SLIDING 22 MM GLASS BEAD
Code: SB-2002
WEIGHT(KG/M): 0.150
LENGTH: 5.9 M
(STD-30)




SLIDING SINGLE GALZED BEAD
Code: SB-2003
WEIGHT(KG/M): 0.270
LENGTH: 5.9 M
(STD-20)




66 SLIDING WINDOW SASH COVER
Code: SB-2004
WEIGHT(KG/M): 0.217
LENGTH: 5.9 M
(STD-20)



92 SLIDING DOOR SASH COVER
Code: SB-2005
WEIGHT(KG/M): 0.227
LENGTH: 5.9 M
(STD-20)



IN-LINE ADEPTOR
Code: SB-2006
WEIGHT(KG/M): 0.307
LENGTH: 5.9 M
(STD-10)




42 SASH SLIDING MULLION 2
Code: SB-42SM
WEIGHT(KG/M): 0.84
LENGTH: 5.9 M
(STD-8)




SBPL
uPVC Profile
Committed for Togetherness




Eco Series




SECTION NAME- 2 TRACK
CODE - 101
WEIGHT - 0.930 KG/MTR
STANDARD PACKAGES- 6 Pcs.
(STD-8)




SECTION NAME- 3 TRACK
CODE - ECO 102
WEIGHT- 1.42 KG/MTR
STANDARD PACKAGES- 4 Pcs.
(STD-4)




SECTION NAME- SLIDING WINDOW SASH
CODE - 103
WEIGHT - 0.840 KG/MTR
STANDARD PACKAGES- 8 Pcs.
(STD-8)




SECTION NAME- SLIDING DOOR SASH
CODE - 104
WEIGHT - 1.02 KG/MTR
STANDARD PACKAGES- 6 Pcs.
(STD-6)



SECTION NAME- SLIDING MULLION
CODE - 105
WEIGHT - 0.59 KG/MTR
STANDARD PACKAGES- 8 Pcs.
(STD-8)



SECTION NAME- SINGLE GLAZING BEAD
CODE - 106
WEIGHT - 0.22 KG/MTR
STANDARD PACKAGES- 20 Pcs.
(STD-20)



SECTION NAME- INTERLOCK
CODE - 107
WEIGHT - 0.185 KG/MTR
STANDARD PACKAGES- 20 Pcs.
(STD-20)



SBPL

uPVC Profile

Committed for Togetherness

Our expanding footprint

- Delhi • U.P • Uttrakhand • Haryana • Punjab
- Rajsthan • Chhatisgarh • M.P. • Bihar • Jharkhand
- Odisha • Assam • Chennai • J &K • West Bengal • Goa



Sarvraj Buildtech Private Limited

- 📍 Plot No. 398, Ecotech-1, Extn. Kasna, Gr. Noida - 201310, (UP)
- 📍 Khasra No. 549, Village Galand, Tehsil Dhaulana, Dasna, Hapur, Uttar Pradesh 201015. (Behind Vivekananda College)
- ✉️ sarvrajbuildtech09@gmail.com | sbplupvcprofiles09@gmail.com
- ☎️ +91 9667900425



www.sbplupvcprofiles.com